Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20050091346" and export\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 15:15
S1	1718231	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 12:02
S2	6	"423243".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 10:43
S3	2	"20050114851"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:49
S4	6	"723246".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 10:51
S5	10	hierarchically adj representing adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 10:52
S6	6	managing adj oss adj component adj configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/06/29 11:02
S7	2	"20040194069"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/06/29 11:03

S8	2	"6154738".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 11:05
S9	2	"20030158919"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 11:10
S10	2	"20020026339"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 11:10
S11	2	"20060059107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 11:11
S12	4	"2003013665"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 11:11
S13	2	"20030135665"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 12:28
S14	1	"20040194069" and (input or interface\$1 or configuration or item\$1 or markup or mark-up or stored or storing or content or xpath or definition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 12:30
S15	1	"20050114851" and (input or type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 13:22

S16	11	(xml and xpath and configuration\$1 and (version near2 control)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 13:24
S17	1	S15 and (xml with configuration\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 13:23
S18	401	(xml and configuration\$1 and (version near2 control)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 13:24
S19	28	S18 and (xml with configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 15:58
S20	2	"20020184111"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:15
S21	1	"20020184111" and (xml or configuration or file or schema or separate or individual)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:48
S22	69	((xml and (configuration near2 file\$1) and schema and ((separate or individual) near3 file))) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:35
S23	3	S22 and (configuration near2 file\$1) same ((separate or individual) near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:38

S24	11	S22 and (individual or separate or single or each) near5 configuration near3 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:41
S25	3331	xml near5 schema	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:41
S26	1615	S25 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:41
S27	0	S26 and (each near5 item) near5 (separate or indivudual) near3 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:42
S28		S26 and (item) near5 (separate or indivudual) near3 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:42
S29	93	S26 and (separate or indivudual) near3 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:42
S30	93	S26 and (separate or indivudual) near3 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/06/29 16:42
S31	78	S26 and (separate or indivudual) near2 file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:44

					1	
S32	0	S26 and ((separate or indivudual) near2 file with item\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:43
S33	533	XML with (configuration adj file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:45
S34	249	S33 and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:45
S35	44	S34 and (xml with (schema or xpath))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:45
S36	14	S35 and (type near5 definition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:46
S37	. 7	S36 and ((type near2 definition\$1) with xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:46
S38	0	"20020184111" and xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:49
S39	0	"20020184111" and Xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 16:49·

S40	1	"20050114851" and xpath	US-PGPUB;	OR	OFF	2006/06/29 17:25
			USPAT; USOCR; EPO; JPO; DERWENT;	!		
:			IBM_TDB	:	:	;
S41	1	"20050114851" and separate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/29 17:28
S42	2	"20050114851" and (separate or item\$1 or file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/06/29 17:28
S43	193	(XML same (data near3 type near3 definition\$1)) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/30 11:38
S44	2	"20050114479"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:20
S45	2	"20040194069"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:23
S46	2	"6154738".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:09
S47	0	20040221026+	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:09

S48	2	"20040221026"	US-PGPUB;	OR	OFF	2006/07/05 11:09
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S49	. 2	"20050114479" and (hierarchical or icon\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 15:58
S50	0	"20040194069" and (hierarchical or icon\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:23
S51	2	"20050114479" and (hierarchical or hierarchy or repository or level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 12:11
S52	3	((icon\$1 near3 hierarchy) with highest) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 12:21
S53	7	((icon\$1 with hierarchy) with highest) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:17
S54	28	(file?based or file-based with xml) with (configuration\$1 or configur\$3) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:18
S55	26	S54 and level\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:20

S56	4	S55 and xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:20
S57	1	"20050114479" and (style or sheet\$1 or style-sheet\$1 or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:18
S58		"20050114479" and (style or stylesheet\$1 or sheet\$1 or style-sheet\$1 or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:10
S59	1708	XSL and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:11
S60	1024	S59 and configuration\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:11
S61	984	S60 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:17
S62	0	S61 and newly-generated	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:11
S63	443	S61 and (newly andgenerated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:12

						<u>,- ,- , , , , , , , , , , , , , , , , ,</u>
S64	411	S61 and (newly and generated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	; OFF	2006/07/05 16:12
S65	17	S61 and (newly with generated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:12
S66	768	S61 and (style-sheet\$1 or stylesheet\$1 or (style adj sheet\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:16
S67	16	S66 and (newly with generated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:13
S68	5	S61 and (xsl with (style or sheet\$1 or style-sheet\$1)) same compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:27
S69	0	"20040194069" and compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:28
S70	0	"20040194069" and compar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:27
S71	2	"20040194069"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:27

S72	1	"20040019670" and compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 16:28
S73	6	"723243".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 18:03
S74	.0	"7235813".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 18:03
S75	6	"723581".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 18:03
S76	2	"20050091346"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 12:10
S77	1	"20050091346" and (chang\$3 or modif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 12:11
S78	1	"20050091346" and (chang\$3 or modif\$7 or level\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/20 15:15